

**Alliance Analytical Laboratories, Inc.**

179 West Randall Street
Coopersville, MI 49404
Phone: (616) 837-7670
Fax: (616) 837-7701



Test methods marked with ^ are accredited under the laboratory's ISO/IEC 17025:2017 accreditation issued by ANSI National Accreditation Board. Refer to certificate and scope of accreditation AT-2044

TEST RESULTS REPORT

CUSTOMER Sabai

SAMPLE DESCRIPTION Kratom Leaf Powder Lot SB1010
SAMPLE DATE
DATE RECEIVED 1/20/2026
REFERENCE NUMBER 202969943: 2604043 **Customer PO**
TEMPERATURE AT RECEIVING



Test Requested	Test Method	Results	Ref Number	Start Date
7-OH PPM on Dry Weight Basis		<105 ppm		1/20 1:37 PM
	Analyst: 45			
Moisture		4.54 %	20169:71	1/20 1:37 PM
	Analyst: 45			
Kratom P3				
	Analyst: 45			
7 Hydroxymitragynine		<0.01 %	20172:23	1/21 10:25 AM
	Analyst: 64			
Mitragynine		1.77 %	20172:23	1/21 10:25 AM
	Analyst: 64			
Aerobic Plate Count	^Bam Ch 3 Analyst: 68	Log: 3.4 2800 cfu/g		1/21 1:04 PM
Coliform	^AOAC 991.14 Analyst: 68	Log: <2.0 <100 cfu/g		1/21 9:42 AM
Mold	^Bam Ch18 Analyst: 68	Log: 3.0 1200 cfu/g		1/21 1:04 PM
Staphylococcus aureus	CMMEF 39.52 Analyst: 68	<3 mpn/g		1/21 9:42 AM
Yeast	^Bam Ch18 Analyst: 68	Log: <2.0 <100 cfu/g		1/21 1:04 PM
E.coli Generic	^AOAC 991.14 Analyst: 68	Log: <2.0 <100 cfu/g		1/21 9:42 AM

It is the customer's responsibility to evaluate the compliance of these results to any regulatory requirement.
Test results apply to the sample as received.

**THIS DOCUMENT CONTAINS TRADE SECRET/CONFIDENTIAL INFORMATION
PURSUANT TO 5 U.S.C.(b)(4)**

This report must not be reproduced, except in full, without written approval of the laboratory.

Reviewed and Approved by:

Andrea Baldock - Laboratory Manager

Date: 2/4/2026

Date: 2/4/2026

**Alliance Analytical Laboratories, Inc.**

179 West Randall Street
Coopersville, MI 49404
Phone: (616) 837-7670
Fax: (616) 837-7701



Test methods marked with ^ are accredited under the laboratory's ISO/IEC 17025:2017 accreditation issued by ANSI National Accreditation Board. Refer to certificate and scope of accreditation AT-2044

**TEST RESULTS
REPORT****SAMPLE DESCRIPTION** Kratom Leaf Powder Lot SB1010**SAMPLE DATE****DATE RECEIVED** 1/20/2026**REFERENCE NUMBER** 202969943: 2604043 **Customer PO****TEMPERATURE AT RECEIVING**

Test Requested	Test Method	Results	Ref Number	Start Date
Arsenic		0.792 mg/kg	20169:732016 9:73	1/22 10:40 AM
	Analyst: 45			
Cadmium		<0.5 mg/kg	20169:73	1/22 10:40 AM
	Analyst: 45			
Lead		0.629 mg/kg	20169:73	1/22 10:40 AM
	Analyst: 45			
Mercury		<0.19 mg/kg	26A0898	1/22 12:00 PM
	Analyst: *212 ID#8001			*subcontracted
Salmonella:BAM	FDA,BAM Ch 5	Negative/25g		1/21 1:24 PM
	Analyst: 68			

It is the customer's responsibility to evaluate the compliance of these results to any regulatory requirement.
Test results apply to the sample as received.

**THIS DOCUMENT CONTAINS TRADE SECRET/CONFIDENTIAL INFORMATION
PURSUANT TO 5 U.S.C.(b)(4)**

This report must not be reproduced, except in full, without written approval of the laboratory.

Reviewed and Approved by:

Andrea Baldock - Laboratory Manager

Date: 2/4/2026

Date: 2/4/2026

Page 2 of 2

