



Alliance Analytical Laboratories, Inc.

179 West Randall Street
Coopersville, MI 49404
Phone: (616) 837-7670
Fax: (616) 837-7701



Test methods marked with ^ are accredited under the laboratory's ISO/IEC 17025:2017 accreditation issued by ANSI National Accreditation Board. Refer to certificate and scope of accreditation AT-2044

TEST RESULTS REPORT

CUSTOMER Sabai


SAMPLE DESCRIPTION Kratom Leaf Powder Lot SY009

SAMPLE DATE

DATE RECEIVED 1/20/2026

REFERENCE NUMBER 202969943: 2604042 **Customer PO**

TEMPERATURE AT RECEIVING



Test Requested	Test Method	Results	Ref Number	Start Date
7-OH PPM on Dry Weight Basis		<105 ppm		1/20 1:37 PM
	Analyst: 45			
Moisture		3.97 %	20169:71	1/20 1:37 PM
	Analyst: 45			
Kratom P3				
	Analyst: 45			
7 Hydroxymitragynine		<0.01 %	20172:23	1/21 10:25 AM
	Analyst: 64			
Mitragynine		1.41 %	20172:23	1/21 10:25 AM
	Analyst: 64			
Aerobic Plate Count	^Bam Ch 3	Log: 4.1		15000 cfu/g
	Analyst: 68			
Coliform	^AOAC 991.14	Log: <2.0		<100 cfu/g
	Analyst: 68			
Mold	^Bam Ch18	Log: 4.2		17000 cfu/g
	Analyst: 68			
Staphylococcus aureus	CMMEF 39.52			<3 mpn/g
	Analyst: 68			
Yeast	^Bam Ch18	Log: <2.0		<100 cfu/g
	Analyst: 68			
E.coli Generic	^AOAC 991.14	Log: <2.0		<100 cfu/g
	Analyst: 68			

It is the customer's responsibility to evaluate the compliance of these results to any regulatory requirement. Test results apply to the sample as received.

THIS DOCUMENT CONTAINS TRADE SECRET/CONFIDENTIAL INFORMATION PURSUANT TO 5 U.S.C.(b)(4)

This report must not be reproduced, except in full, without written approval of the laboratory.

Reviewed and Approved by:

Andrea Balduck - Laboratory Manager

Date: 2/4/2026

Date: 2/4/2026



Alliance Analytical Laboratories, Inc.

179 West Randall Street
Coopersville, MI 49404
Phone: (616) 837-7670
Fax: (616) 837-7701



Test methods marked with ^ are accredited under the laboratory's ISO/IEC 17025:2017 accreditation issued by ANSI National Accreditation Board. Refer to certificate and scope of accreditation AT-2044

TEST RESULTS REPORT

SAMPLE DESCRIPTION	Kratom Leaf Powder Lot SY009		
SAMPLE DATE			
DATE RECEIVED	1/20/2026		
REFERENCE NUMBER	202969943: 2604042	Customer PO	
TEMPERATURE AT RECEIVING			



Test Requested	Test Method	Results	Ref Number	Start Date
Arsenic	Analyst: 45	<0.5 mg/kg	20169:73	1/22 10:40 AM
Cadmium	Analyst: 45	<0.5 mg/kg	20169:73	1/22 10:40 AM
Lead	Analyst: 45	<0.5 mg/kg	20169:73	1/22 10:40 AM
Mercury	Analyst: *212 ID#8001	<0.19 mg/kg	26A0898	1/22 12:00 PM *subcontracted
Salmonella:BAM	FDA,BAM Ch 5 Analyst: 68	Negative/25g		1/21 1:24 PM

It is the customer's responsibility to evaluate the compliance of these results to any regulatory requirement.
Test results apply to the sample as received.

**THIS DOCUMENT CONTAINS TRADE SECRET/CONFIDENTIAL INFORMATION
PURSUANT TO 5 U.S.C.(b)(4)**

This report must not be reproduced, except in full, without written approval of the laboratory.

Reviewed and Approved by:

Andrea Balduck - Laboratory Manager

Date: 2/4/2026

Date: 2/4/2026

